

To: Nonresponsive based on revised scope @tetrattech.com]
Cc: Nonresponsive based on revised scope @epa.gov]; Wagner, Christine[Wagner.Christine@epa.gov]
From: Schafer, Xavier[/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=FAB3B000F85443F5A1EC230EB03C138F-SCHAFER, XA]
Sent: Tue 10/11/2022 1:54:20 PM (UTC)
Subject: RE: Shiloh Church Road Analytical Data

Hi [redacted]

The only Case # from your list that we have received data for is 50263, and that data was just received recently so validation has not yet begun. Due to a current small backlog of validation cases, I would anticipate this data would not be delivered until 3-4 weeks from now.

All the other Case #'s, we have not received any data for yet. The top three cases of your list are all Tier IV data which would need to be delivered to me by a sampling coordinator (yourself?). Case # 50333 (CLP data) simply has not become available to us in our sample management portal yet.

Please let me know if there's anything else I can do to assist.

Thanks
Xavier



Xavier Schafer, Chemist/COR
U.S. Environmental Protection Agency, Region 3
Laboratory Services and Applied Science Division (LSASD)
Laboratory & Technical Services Branch (LTSB)
701 Mapes Rd, Fort Meade, MD 20755-5350 (3LS20)
Phone: 410-305-2938
E-mail: schafer.xavier@epa.gov

From: Nonresponsive based on revised scope @tetrattech.com>
Sent: Monday, October 10, 2022 9:33 AM
To: Schafer, Xavier <Schafer.Xavier@epa.gov>
Cc: Nonresponsive based on revised scope @epa.gov]; Wagner, Christine <Wagner.Christine@epa.gov>
Subject: Shiloh Church Road Analytical Data

Morning [redacted]

Could you provide me the anticipated delivery time for the following case and DAS numbers.

- R36248
- R36224
- R36218
- 50263
- 50333

Thanks,

Nonresponsive based on revised scope

This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.



Please consider the environment before printing. [Read more](#)



TETRA TECH